

Material Data Sheet

Chokes for Power Lines

Product Class:		I Core Choke B82503UxxxxExxx				Downlaute	dund .		
Date		26.07.2021			<u></u>	NIN NIN NI			
IMDS ID if available				-	Į.				
Version:		02		-	-				
Product Part (IMDS: semi component)	Material Class (IMDS: Material)		Material (Classification) VDA 231	Substance		TMPS**) [wt%]	CAS if applicable	typical mass of material [wt-%]	Traces see 1)
Active Part	Metal		1A	Iron (Fe)		100	7439-89-6	23.8	
	Varnish		2A	Alkyd resin		100			х
	Heavy	Metal	1C	Cu		100	7440-50-8	55.8	
	Duromer		2C	Polyurethane (PUR)		100	68400-67-9	2.9	
Encapsulation				Polycarbonate (PC)		89.8	25971-63-5	15	
and Mounting	Therm	oplastic	2A	Glass fiber		10	65997-17-3		
wounting				PFBS		0.2	29420-49-3		
Termination			10	Cu		62	7440-50-8		
	Heavy	Metal	10	Ni		18	7440-02-0	2,4	
			10	Zn			7440-66-6	_,.	
l	Heavy	Metal	10	Sn		20 100	7440-31-5	0.1	
	,		10				Sum in total:	100.0	
23 x 58 x 31,5 Not part of a Pro		•••	2503U0000E***						
Contact C					Important remarks:				
Division T	TDK Electronics AG, Magnetics Business Group (MAG) 1) The declaration limit is 0.1% as defined by IEC 62474 (IEC PAS 61906) Traces								
		er Strasse 116b, 81669 Munich			product parts, substances etc. that are below a percentage of 0.1 % by weight, if not otherwise regulated.				
Т	el: +49 89 5	54020 3030 mailto: johann.reindl@tdk-ele				neet contains typical values of the respective products set forth point out that all values and statements contained herein are			
*) others: .(not de	eclarable	or prohibited sub	ostances acc. GADS		based on our best present knowledge and cannot be regarded as binding statements or binding product specifications, unless otherwise explicitly agreed in writing. TDK				
**) typical mass percentage of substance					ELECTRONICS AG AND ITS AFFILIATES HEREBY EXPRESSLY DISCLAIM ANY REPRESENTATION OR WARRANTY, WHETHER EXPRESS, IMPLIED OR STATUTORY, WITH REGARD TO THE STATEMENTS AND VALUES CONTAINED HEREIN, INCLUDING BUT NOT LIMITED TO ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PURPOSE.				
					that products are compatible wi e restriction of the use of certain				
RoHS - Exempti	ions for t	he Product Clas	ss / Product accord	ing to Annex III:	(☑ valid □ not valid)				
Exemption 7 (c)-II:	Lead as an Copper allo Lead in high Electrical an Lead in diel	alloying element in al y containing up to 4 % n melting temperature nd electronic compone ectric ceramic in capa	uminium containing up to 0 6 lead by weight; type solder (i.e. lead-base ents containing lead in a gla acitors for a rated voltage of	4 % lead by weight; d alloys containing 85 % ass or ceramic other than 125 V AC or 250 V DC	n dielectric ceramic in capacitors, e.g or higher;	-	devices, or in a glass (or ceramic matrix comp	iound;
 Exemption 7 (c)-III: Exemption 15: 			acitors for a rated voltage of		250 V DC; e and carrier within integrated circuit	Flin Chin nacka	100.		
Other Exemption 15:				ween semiconductor di	e and camer within integrated circuit	т пр оппр раска	ycə,		