

MKT Film Capacitor

Material Data Sheet

| Product Class | | Boxed Film Capacitors (Mini Blue), B32559_C | | | | | | \neg | | | |
|--|--|--|--|-----------------------------------|---------|---|---|--|---|------------------------|--|
| Date | | 18/11/2019 | | | | | MK | T | | | |
| IMDS ID if available | | NA | | | | | | | | | |
| Version 5.02.1a (03/2019) | | | | | | | - | | | | |
| Product Part (IMDS: semi component) | Material Class (IMDS: Material) | | Material (Classification) VDA 231 | Substance | | TMPS**) [wt%] | CAS if applicable | typical mass of material [wt-%] | Traces see 1) | | |
| Active Part | Light Metal | | 1B | Al | | | 19,5 | 7429-90-5 | 12,5 | | |
| | Heavy Metal | | 1C | Sn | | | 8,5 | 7440-31-5 | 5,4 | | |
| | Heavy Metal | | 1C | Cu | | | 25 | 7440-50-8 | 16,1 | | |
| | Thermoplastic | | 2A | Polyester | | | 47 | 25038-59-9 | 30 | | |
| Encapsulation | Thermoplastic | | 2A | Polyester | | | 100 | 25038-59-9 | 26 | | |
| Termination | Heavy Metal | | 1C | Cu | | | 55 | 7440-50-8 | 5.5 | | |
| | Iron and Steel | | 16 | Fe | | | 25 | 7439-89-6 | 2,5 | | |
| | Heavy Metal | | 1C | Sn | | | 20 | 7440-31-5 | 2 | | |
| | neavy i | leidi | 10 | 511 | | | 20 | Sum in total: | 100 | | |
| 3.5 x 8.0 x 7.2 Not part of a Pro | | | | | | | | | | | |
| | luardo | • | | Important remarks: | | | | | | | |
| | ······ | | | | | The declaration limit is 0.1% as defined by IEC 62474 (IEC PAS 61906). Traces are product parts, substances etc. that are below a percentage of 0.1 % by weight, if not | | | | | |
| | | | , | otherwise regulated | | | | | | | |
| | Bernardo Joaquim Ferreira, 624 – Gravataí, RS Tel: +55 51 3484 7337 mailto: <u>eduardo.perosa@t</u> | | | dk-electronics tdk com herein. We | | | expressly point out that all values and statements contained herein are | | | | |
| *) others: .(not de | clarable | or prohibited su | ubstances acc. GADSI | | | or binding pr ELECTRON | roduct specific | ations, unless other ITS AFF ILIATES HE | not be regarded as binding wise explicitly agreed in wr REBY EXPRESSLY DISC | iting. TDK LAIM ANY | |
| , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | REPRESENTATION OR WARRANTY, WHETER EXPRESS, IMPLIED OR STATUTORY, WITH REGARD TO THE STATEMENTS AND VALUES CONTAINED HEREIN, INCLUDING BUT NOT LIMITED TO ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PURPOSE. | | | | | | | | | |
| | | | | | | | | | ording to Art. 4 (substance ses in electrical and electror | | |
| RoHS - Exempti | ons for t | he Product Cla | ass / Product accord | ing to Annex III: (| Ø \ | valid 🛛 not valid |) | | | | |
| ☑ no exemptions; □ Exemption 6 (a): | Lead as an | alloying element in | steel for machining purposes | and in galvanized steel c | contair | ning up to 0,35 % k | ead by weight; | | | | |
| Exemption 6 (b): | | | aluminium containing up to 0, | 4 % lead by weight; | | | | | | | |
| Exemption 6 (c): Exemption 7 (a): | | y containing up to 4 | % lead by weight; re type solder (i.e. lead-based | allovs containing 85 % | | inht or more lead. | | | | | |
| | 0 | 0 1 | | , , | | | acitors, e.a. piez | coelectronic devices. or | in a glass or ceramic matrix co | mpound; | |
| | | | pacitors for a rated voltage of | | | | | | | | |
| | | | pacitors for a rated voltage of | | - | | | | | | |
| Exemption 15: | Lead in sold | lers to complete a vi | able electrical connection bet | tween semiconductor die | and c | arrier within integr | ated circuit Elin (| Chip packages: | | | |
| | an above | | | | | Ũ | ato a on oarer np e | 11 | | | |