## Surge Arrester



Product Class	Alss D25L10B-A600XP2 4/22/2024							
Date			-					
IMDS ID if available								
Version 5.01								
Product Part (IMDS: semi component)	Material Class (IMDS: Material)	Material (Classification) VDA 231	Substance	TMPS**) [wt%]	CAS if applicable	typical mass of material [wt-%]	Traces see 1)	
Active part	Ceramic	3B	AI2O3	100	1344-28-1	36.6		
	Metal	1C11	Cu	100	7440-50-8	44.8		
	Metal	4D	W	80	7440-33-7	15.8		
			Cu	20	7440-50-8			
Brazing ring	Metal	4D	Ag	72	7440-22-4	1.2		
			Cu	28	7440-50-8			
	Metal	4D	Ag	50	7440-22-4	0.8		
			Cu	50	7440-50-8			
Plating	Plating	1C14	Ni	100	7440-02-0	0.8		
	1	1	1		Sum of total	100		
<b>sizes [ mm ]</b> Ø25.5 X 10	weight range[g] 20	material numbers B88069X7793*						
Not part of a Product (	Class							
Contact	Mohd Faizal Jamaludin			Important rema	Important remarks:			
Division	TDK ELECTRONICS (MALAYSIA) SDN BHD			1) The decla	1) The declaration limit is 0.1% as defined by IEC 62474 (IEC PAS 61906). Traces are			
Address		au Ind IV, 81100 JB Mala	vsia	product parts, substances etc. that are below a percentage of 0.1 % by weight, if not otherwise				
	Tel: +60-7-3566629	mailto: mohdfaizal.jamalu		com 2) This Material Data Sheet contains typical values of the respective products set forth herein.				
*) others: .(not declarable or prohibited substances acc. GADSL) **) typical mass percentage of substance				We expressly po present knowled specifications, ur AFFILIATES HE WHETHER EXP AND VALUES C	We expressly point out that all values and statements contained herein are based on our best present knowledge and cannot be regarded as binding statements or binding product specifications, unless otherwise explicitly agreed in writing. TDK ELECTRONICS AG AND ITS AFFILIATES HEREBY EXPRESSLY DISCLAIM ANY REPRESENTATION OR WARRANTY, WHETHER EXPRESS, IMPLIED OR STATUTORY, WITH REGARD TO THE STATEMENTS AND VALUES CONTAINED HEREIN, INCLUDING BUT NOT LIMITED TO ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR SUITABILITY FOR ANY PURPOSE.			
the European Parliamer	nt and of the Council of	•	triction of the use of certa	in hazardous substances in	uirements according to Art. 4 (su electrical and electronic equipm		ective 2011/65/EU of	
Exemption 6 (b): L     Exemption 6 (c): C     Exemption 7 (a): L     Exemption 7 (c)-I: L     Exemption 7 (c)-II: L     Exemption 7 (c)-III: L     Exemption 7 (c)-III: L	ead as an alloying element opper alloy containing up t ead in high melting temper dectrical and electronic con ead in dielectric ceramic in ead in dielectric ceramic in	tin aluminium containing up o 4 % lead by weight; ature type solder (i.e. lead-b nponents containing lead in a capacitors for a rated voltag capacitors for a rated voltag a viable electrical connection	o 0,4 % lead by weight; ased alloys containing 85 % glass or ceramic other than e of 125 V AC or 250 V DC o e of less than 125 V AC or 2	dielectric ceramic in capacitors or higher;	, e.g. piezoelectronic devices, or in a	I glass or ceramic matrix comp	pund;	